

# CPR-6011-2M21

**600W** Slim Power Supply  
AC to DC Redundant

## FEATURES

- High Efficiency: 94%
- Hot Swappable
- PMBus Support
- Smart Fan Speed Control
- Activate Power Factor Correction



■ Dimension : 220 x 54.5 x 40 mm (D x W x H)



## SPECIFICATIONS

### ► INPUT

Voltage	90 - 264Vac
Frequency	47 - 63Hz
Current	7.8 - 2.7A

### ► EFFICIENCY, PFC, THD

Load (%)	Input 115Vac			Input 230Vac		
	Input current THD	Power Factor	Efficiency	Input current THD	Power Factor	Efficiency
10%	20%	0.9	75%	30%	0.85	83%
20%	10%	0.95	88%	20%	0.9	90%
50%	8%	0.98	92%	14%	0.95	94%
100%	5%	0.99	89%	8%	0.97	91%

### ► OUTPUT

Parameter	12V	5Vsb
Max Load	50A	4A
Regulation	±5%	±5%
Ripple & Noise	120mVp-p	50mVp-p

### ► PROTECTION, RELIABILITY, WARRANTY

Over Current Protection (OCP)  
Over Power Protection (OPP)  
Over Voltage Protection (OVP)  
Over Thermal Protection (OTP)  
Short Circuit Protection (SCP)  
Holdup Time: 12ms @ 100% Load  
MTBF: >250,000 hours @ 25 °C  
Warranty: 3 Years

### ► ENVIRONMENTAL

Temperature	Operating : 0 to 50°C Non-operating : -10 to 60°C
Altitude	Operating : to 10,000 feet (3,023 meters) Non-operating : to 35,000 feet (10,580 meters)
Relative humidity	Operating : 20% to 95% RH, Non-condensing Storage : 5% to 95% RH, Non-condensing


## SAFETY AND COMPLIANCE

UL, cUL, CE, CCC, BSMI, CB, FCC class B, CISPR Class B, RoHS

# CPR-6011-2M21



## MECHANICAL DRAWING



### CONNECTORS

AC Inlet IEC 320 C-14, 12A / 250Vac

DC Output Gold Finger

DC Output Mating Amphenol connector : GPCETR44042400213HR or ALLTOP

★ Product details and image are for reference and final product is subject to change without notice.

### OUTPUT CONNECTOR PIN ASSIGNMENTS

Bottom		Top	
PIN#	Signal Name	PIN#	Signal Name
S1	+12VRS+	S13	PDB_Fault
S2	+12VRS-	S14	Present
S3	12LS	S15	A0
S4	SMB Alert	S16	PDB_Alert
S5	SDA	S17	Reserved
S6	SCL	S18	Reserved
S7	PS_Kill	S19	Reserved
S8	PS_On	S20	Reserved
S9	PW_OK	S21	Reserved
S10	A1	S22	Vsenes-
S11	5V Standby	S23	5V Standby
S12	5V Standby	S24	5V Standby
P1	+12V	P3	GND
P2	+12V	P4	GND



Compuware Technology Inc.

Tel: 886-2-8226-3936 Address: 5F., No. 232, Liancheng Rd., Zhonghe Dist., New Taipei City 235, Taiwan (R.O.C.)



[www.compuware-us.com](http://www.compuware-us.com)